

Model	Dimension				Weight		Quantity	Total		
	Length(mm)	Width(mm)	Height(mm)	Measure(M3)	Net(kg)	Gross(kg)		Meas.(M3)	Net(kg)	Gross(kg)
M2.5A2S	1 000	500	250	0,125	13,0	14,8	1	0,125	13,0	15,0
M2.5A2L	1 140	500	250	0,143	13,5	15,3	1	0,143	13,5	15,0
									0,0	
M3.5A2S	1 000	500	250	0,125	13,0	14,8	1	0,125	13,0	15,0
M3.5A2L	1 140	500	250	0,143	13,5	15,3	1	0,143	13,5	15,0
M3.5B2S	1 000	500	265	0,133	13,0	15,5	1	0,133	13,0	16,0
M3.5B2L	1 140	500	265	0,151	13,5	16,5	1	0,151	13,5	17,0
M4CS	1 080	590	380	0,242	20,0	24,3	1	0,242	20,0	24,0
M4CL	1 220	590	380	0,274	20,5	24,8	1	0,274	20,5	25,0
									0,0	
									0,0	
M5BS	1 080	590	380	0,242	20,0		1	0,242	20,0	0,0
M5BL	1 210	590	380	0,271	21,0		1	0,271	21,0	0,0
M5BSS	1 080	590	380	0,242	19,0		1	0,242	19,0	0,0
M5BSL	1 210	590	380	0,271	20,0		1	0,271	20,0	0,0
M5BDS	1 080	590	380	0,242	19,0	25,8	1	0,242	19,0	26,0
M5BDL	1 220	590	380	0,274	19,5	26,5	1	0,274	19,5	27,0
M6BS	1 100	680	400	0,299	26,0	33,2	1	0,299	26,0	33,0
M6BL	1 220	680	400	0,332	27,0	34,0	1	0,332	27,0	34,0
									0,0	
									0,0	
M8BS	1 100	680	400	0,299	26,0	33,2	1	0,299	26,0	33,0
M8BL	1 220	680	400	0,332	27,0	34,0	1	0,332	27,0	34,0
M8BUL	1 340	680	400	0,364	28,0		1	0,364	28,0	0,0
M8BEFS	1 100	680	400	0,299	29,0	35,8	1	0,299	29,0	36,0
M8BEPS	1 100	680	400	0,299	28,5	39,5	1	0,299	28,5	0,0
M8BEPL	1 220	680	400	0,332	29,5	40,5	1	0,332	29,5	0,0
									0,0	
M9.8BS	1 100	680	400	0,299	26,0	33,2	1	0,299	26,0	33,0
M9.8BL	1 220	680	400	0,332	27,0	34,0	1	0,332	27,0	34,0
M9.8BUL	1 340	680	400	0,364	28,0		1	0,364	28,0	0,0
M9.8BEFS	1 100	680	400	0,299	29,0	35,8	1	0,299	29,0	36,0
M9.8BEFL	1 220	680	400	0,332	30,0	36,8	1	0,332	30,0	37,0
M9.8BEPS	1 100	680	400	0,299	28,5	39,5	1	0,299	28,5	0,0
M9.8BEPL	1 220	680	400	0,332	29,5	40,5	1	0,332	29,5	0,0
M9.9D2S	1 170	740	440	0,381	41,0	50,5	1	0,381	41,0	51,0
M9.9D2L	1 300	740	440	0,423	42,0	51,5	1	0,423	42,0	52,0
M9.9D2UL	1 560	740	440	0,508	43,0	53,3	1	0,508	43,0	0,0
M9.9D2EPS	1 170	740	440	0,381	44,0	56,3	1	0,381	44,0	56,0
M9.9D2EPL	1 300	740	440	0,423	45,0	57,6	1	0,423	45,0	58,0
									0,0	
M15D2S	1 170	740	440	0,381	41,0	50,5	1	0,381	41,0	51,0
M15D2L	1 300	740	440	0,423	42,0	51,5	1	0,423	42,0	52,0
M15D2UL	1 560	740	440	0,508	43,0	53,3	1	0,508	43,0	0,0
M15D2EPS	1 170	740	440	0,381	44,0	56,3	1	0,381	44,0	56,0
M15D2EPL	1 300	740	440	0,423	45,0	57,6	1	0,423	45,0	58,0
M18E2S	1 170	740	440	0,381	41,0	50,5	1	0,381	41,0	51,0
M18E2L	1 300	740	440	0,423	42,0	51,5	1	0,423	42,0	52,0
M18E2UL	1 560	740	440	0,508	43,0	53,3	1	0,508	43,0	0,0
M18E2EFS	1 170	740	440	0,381	44,0	53,5	1	0,381	44,0	54,0
M18E2EFL	1 300	740	440	0,423	45,0	54,2	1	0,423	45,0	54,0
M18E2EPS	1 170	740	440	0,381	44,0	56,3	1	0,381	44,0	56,0
M18E2EPL	1 300	740	440	0,423	45,0	57,6	1	0,423	45,0	58,0
M25C3S	1 220	770	460	0,432	51,0	60,9	1	0,432	51,0	61,0
M25C3L	1 345	770	460	0,476	52,5	63,0	1	0,476	52,5	63,0
M25C3UL	1 470	770	460	0,521	54,0		1	0,521	54,0	0,0
M25C3EFS	1 220	770	460	0,432	55,0	64,9	1	0,432	55,0	65,0
M25C3EFL	1 345	770	460	0,476	56,5	66,0	1	0,476	56,5	66,0
M25C3EPS	1 220	770	460	0,432	54,0	68,4	1	0,432	54,0	68,0
				0,000			1	0,000	0,0	0,0
M25C3EPL	1 345	770	460	0,476	55,5	70,0	1	0,476	55,5	70,0

M25C3JET	1 030	1 400	670	0,966	59,0	70,0	1	0,966	59,0	0,0
M30A4S	1 220	770	460	0,432	51,0	60,9	1	0,432	51,0	61,0
M30A4L	1 345	770	460	0,476	52,5	63,0	1	0,476	52,5	63,0
M30A4UL	1 470	770	460	0,521	54,0		1	0,521	54,0	0,0
M30A4EFS	1 220	770	460	0,432	55,0	64,9	1	0,432	55,0	65,0
M30A4EFL	1 345	770	460	0,476	56,5	66,0	1	0,476	56,5	66,0
M30A4EPS	1 220	770	460	0,432	54,0	68,4	1	0,432	54,0	68,0
M30A4EPL	1 345	770	460	0,476	55,5	70,0	1	0,476	55,5	70,0
M40CS	1 260	460	770	0,446	59,0	69,0	1	0,446	59,0	0,0
M40CL	1 390	460	770	0,492	60,5	71,0	1	0,492	60,5	71,0
M40CEFL	1 390	460	770	0,492	63,5		1	0,492	63,5	0,0
M40CEPS	1 260	460	770	0,446	60,5	76,0	1	0,446	60,5	76,0
M40CEPL	1 390	460	770	0,492	62,0	78,0	1	0,492	62,0	78,0
M40D2S	1 495	860	490	0,630	72,0	84,0	1	0,630	72,0	84,0
M40D2L	1 495	860	490	0,630	73,5	86,0	1	0,630	73,5	86,0
M40D2LL	1 565	860	490	0,659	75,0	87,5	1	0,659	75,0	88,0
M40D2UL	1 615	860	490	0,681	75,0	88,0	1	0,681	75,0	0,0
M40D2EFL	1 495	860	490	0,630	78,5		1	0,630	78,5	0,0
M40D2EFOL	1 495	860	490	0,630	80,0		1	0,630	80,0	0,0
M40D2EPOS	1 495	860	490	0,630	74,5	90,5	1	0,630	74,5	0,0
M40D2EPOL	1 495	860	490	0,630	76,0	92,5	1	0,630	76,0	0,0
M40D2EFTOL	1 495	860	560	0,720	91,0	107,0	1	0,720	91,0	107,0
M40D2EPTOS	1 495	860	560	0,720	85,5	105,0	1	0,720	85,5	105,0
M40D2EPTOL	1 495	860	560	0,720	87,0	107,0	1	0,720	87,0	107,0
M50D2S	1 495	860	490	0,630	72,0	84,0	1	0,630	72,0	84,0
M50D2L	1 495	860	490	0,630	73,5	86,0	1	0,630	73,5	86,0
M50D2LL	1 565	860	490	0,659	75,0	87,5	1	0,659	75,0	88,0
M50D2UL	1 615	860	490	0,681	75,0	88,0	1	0,681	75,0	0,0
M50D2EFL	1 495	860	490	0,630	78,5		1	0,630	78,5	0,0
M50D2EFOL	1 495	860	490	0,630	80,0		1	0,630	80,0	0,0
M50D2EPOS	1 495	860	490	0,630	74,5	90,5	1	0,630	74,5	0,0
M50D2EPOL	1 495	860	490	0,630	76,0	92,5	1	0,630	76,0	0,0
M50D2EFTOL	1 495	860	560	0,720	91,0	107,0	1	0,720	91,0	107,0
M50D2EPTOS	1 495	860	560	0,720	85,5	105,0	1	0,720	85,5	0,0
M50D2EPTOL	1 495	860	560	0,720	87,0	107,0	1	0,720	87,0	0,0
MW50D2L	1 580	720	940	1,383	79,0	128,0	1	1,383	79,0	0,0
MW50D2EPOL	1 580	720	940	1,383	81,5	134,0	1	1,383	81,5	155,0
MW50D2EPTL	1 840	775	970	1,383	84,0		1	1,383	84,0	0,0
M60CEFOL	1600	945	570	0,862	108,0		1	0,862	108,0	0,0
M60CEFTOL	1600	945	570	0,862	120,0		1	0,862	120,0	0,0
M60CEPOL	1600	945	570	0,862	103,0		1	0,862	103,0	0,0
M60CEPTOL	1600	945	570	0,862	115,0	146,0	1	0,862	115,0	146,0
M60CEPTOUL	1 715	945	570	0,924	112,5		1	0,924	112,5	0,0
M70CEFOL	1 600	945	570	0,862	108,0		1	0,862	108,0	0,0
M70CEFTOL	1 600	945	570	0,862	120,0		1	0,862	120,0	0,0
M70CEPOL	1 600	945	570	0,862	103,0		1	0,862	103,0	0,0
M70CEPTOL	1 600	945	570	0,862	115,0	146,0	1	0,862	115,0	146,0
M70CEPTOUL	1 715	945	570	0,924	117,0		1	0,924	117,0	0,0
M70CMFGL	1 600	945	570	0,862	108,0	135,0	1	0,862	108,0	135,0
M70CMFGUL	1 715	945	570	0,924	108,0		1	0,924	108,0	0,0
M90AEFTOL	1 600	945	570	0,862	135,0		1	0,862	135,0	0,0
M90AEPTOL	1 600	945	570	0,862	135,0	163,5	1	0,862	135,0	0,0
M90AEPTOUL	1 715	945	570	0,924	137,5		1	0,924	137,5	0,0
M115A2EPTOL	1 700	950	600	0,969	164,0	204,0	1	0,969	164,0	0,0
M115A2EPTOUL	1 840	950	600	1,049	166,5	206,0	1	1,049	166,5	206,0
M120A2EPTOL	1 700	950	600	0,969	164,0	204,0	1	0,969	164,0	0,0
M120A2EPTOUL	1 840	950	600	1,049	166,5	206,0	1	1,049	166,5	206,0
M140A2EPTOL	1 700	950	600	0,969	164,0	204,0	1	0,969	164,0	0,0
M140A2EPTOUL	1 840	950	600	1,049	166,5	206,0	1	1,049	166,5	206,0
<b>Total</b>							<b>7</b>	<b>1,062</b>		<b>117,000</b>

Model	Dimension				Weight		Quantity	Total		
	Length(mm)	Width(mm)	Height(mm)	Measure(M3)	Net(kg)	Gross(kg)		Meas.(M3)	Net(kg)	Gross(kg)
MFS2AS	1 100	600	480	0,317	18,0		1	0,317	18,0	0,0
MFS2AL	1 100	600	480	0,317	19,0		1	0,317	19,0	0,0
MFS2.5AS	1 100	600	480	0,317	18,4	23,0	1	0,317	18,4	23,0
MFS2.5AL	1 100	600	480	0,317	19,4		1	0,317	19,4	0,0
MFS2.5AS(New)	1 095	525	435	0,250	18,4	23,3	1	0,250	18,4	23,0
MFS2.5AL(New)	1 235	525	435	0,282	19,4	24,8	1	0,282	19,4	0,0
									0,0	
MFS3.5AS	1 100	600	480	0,317	18,4	23,0	1	0,317	18,4	23,0
MFS3.5AL	1 100	600	480	0,317	19,4		1	0,317	19,4	0,0
MFS3.5AS(New)	1 095	525	435	0,250	18,4	23,3	1	0,250	18,4	23,0
MFS3.5AL(New)	1 235	525	435	0,282	19,4	24,8	1	0,282	19,4	0,0
MFS4BDS	1 120	640	415	0,297	26,0	30,8	1	0,297	26,0	30,0
MFS4BDL	1 290	640	415	0,343	27,0	31,8	1	0,343	27,0	31,0
MFS4BDUL				0,000	28,0		1	0,000	28,0	0,0
MFS5BDS	1 120	640	415	0,297	26,0	30,8	1	0,297	26,0	30,0
MFS5BDL	1 290	640	415	0,343	27,0	31,8	1	0,343	27,0	31,0
MFS5BDUL				0,000	28,0		1	0,000	28,0	0,0
MFS5BSS	1 120	640	415	0,297	25,0	31,8	1	0,297	25,0	32,0
MFS5BSL	1 290	640	415	0,343	26,0	32,8	1	0,343	26,0	33,0
MFS5BSUL				0,000	27,0		1	0,000	27,0	0,0
MFS6BDS	1 120	640	415	0,297	26,0	30,8	1	0,297	26,0	30,0
MFS6BDL	1 290	640	415	0,343	27,0	31,8	1	0,343	27,0	31,0
MFS6BDUL				0,000	28,0		1	0,000	28,0	0,0
MFS6BSS	1 120	640	415	0,297	25,0	31,8	1	0,297	25,0	32,0
MFS6BSL	1 290	640	415	0,343	26,0	32,8	1	0,343	26,0	33,0
MFS6BSUL(SailPro)	1 420	650	420	0,388	27,0		1	0,388	27,0	0,0
MFS6A3Z S	1 200	760	420	0,452	37,0	46,8	1	0,452	37,0	46,0
MFS6A3ZL	1 330	760	420	0,500	38,0	48,3	1	0,500	38,0	48,0
MFS6A3ZEFL	1 330	760	420	0,500	41,0	51,8	1	0,500	41,0	51,0
MFS6A3ZEPL	1 330	760	420	0,500	40,5	55,8	1	0,500	40,5	55,0
MFS8A3S	1 200	760	420	0,452	37,0	46,8	1	0,452	37,0	46,0
MFS8A3L	1 330	760	420	0,500	38,0	48,3	1	0,500	38,0	48,0
MFS8A3UL	1 455	760	420	0,546	39,5	49,4	1	0,546	39,5	49,0
MFS8A3EFL	1 330	760	420	0,500	41,0	51,8	1	0,500	41,0	51,0
MFS8A3EFUL	1 455	760	420	0,546	42,5	53,3	1	0,546	42,5	53,0
MFS8A2EPS	1 200	760	420	0,452	39,5	54,3	1	0,452	39,5	54,0
MFS8A3EPL	1 330	760	420	0,500	40,5	55,8	1	0,500	40,5	55,0
MFS8A3EPUL	1 455	760	420	0,546	42,0	57,3	1	0,546	42,0	57,0
MFS9.8A3S	1 200	760	420	0,452	37,0	46,8	1	0,452	37,0	46,0
MFS9.8A3L	1 330	760	420	0,500	38,0	48,3	1	0,500	38,0	48,0
MFS9.8A3UL	1 455	760	420	0,546	39,5	49,8	1	0,546	39,5	49,0
MFS9.8A3EFS	1 200	760	420	0,452	40,0	50,3	1	0,452	40,0	50,0
MFS9.8A3EFL	1 330	760	420	0,500	41,0	51,8	1	0,500	41,0	51,0
MFS9.8A3EFUL	1 455	760	420	0,546	42,5	53,3	1	0,546	42,5	53,0
MFS9.8A3EPS	1 200	760	420	0,452	39,5	54,3	1	0,452	39,5	54,0
MFS9.8A3EPL	1 330	760	420	0,500	40,5	55,8	1	0,500	40,5	55,0
MFS9.8A3EPUL	1 455	760	420	0,546	42,0	57,3	1	0,546	42,0	57,0
MFS9.9B2S	1 220	830	500	0,506	51,5		1	0,506	51,5	0,0
MFS9.9B2L	1 350	830	500	0,560	52,5		1	0,560	52,5	0,0
MFS9.9B2EFS	1 220	830	500	0,506	55,0		1	0,506	55,0	0,0
MFS9.9B2EFL	1 350	830	500	0,560	56,0		1	0,560	56,0	0,0
MFS9.9B2EPS	1 220	830	500	0,506	53,5		1	0,506	53,5	0,0
MFS9.9B2EPL	1 350	830	500	0,560	54,5		1	0,560	54,5	0,0
									0,0	
MFS15B2S	1 220	830	500	0,506	51,5		1	0,506	51,5	0,0
MFS15B2L	1 350	830	500	0,560	52,5		1	0,560	52,5	0,0
MFS15B2EFL	1 350	830	500	0,560	56,0		1	0,560	56,0	0,0
MFS15B2EPS	1 220	830	500	0,506	53,5		1	0,506	53,5	0,0
MFS15B2EPL	1 350	830	500	0,560	54,5		1	0,560	54,5	0,0
									0,0	
MFS18B2S	1 220	830	500	0,506	51,5		1	0,506	51,5	0,0
MFS18B2L	1 350	830	500	0,560	52,5		1	0,560	52,5	0,0

MFS18B2EFS	1 220	830	500	0,506	55,0		1	0,506	55,0	0,0
MFS18B2EFL	1 350	830	500	0,560	56,0		1	0,560	56,0	0,0
MFS18B2EPS	1 220	830	500	0,506	53,5		1	0,506	53,5	0,0
MFS18B2EPL	1 350	830	500	0,560	54,5		1	0,560	54,5	0,0
									0,0	
MFS15CS	1 370	920	470	0,592	52,0	63,5	1	0,592	52,0	64,0
MFS15CL	1 370	920	470	0,592	53,0	65,0	1	0,592	53,0	65,0
MFS15CUL	1 490	920	470	0,644	54,5	66,5	1	0,644	54,5	67,0
MFS15CEFS	1 370	920	470	0,592	55,0	66,5	1	0,592	55,0	67,0
MFS15CEFL	1 370	920	470	0,592	56,5	68,0	1	0,592	56,5	68,0
MFS15CEFUL	1 490	920	470	0,644	58,0	69,5	1	0,644	58,0	70,0
MFS15CEPS	1 370	920	470	0,592	54,0	66,0	1	0,592	54,0	66,0
MFS15CEPL	1 370	920	470	0,592	55,5	67,5	1	0,592	55,5	68,0
MFS15CEPUL	1 490	920	470	0,644	57,0	69,0	1	0,644	57,0	69,0
MFS15CEPTS	1 370	920	470	0,592	61,0	73,0	1	0,592	61,0	73,0
MFS15CEPTL	1 370	920	470	0,592	62,5	74,5	1	0,592	62,5	75,0
MFS15CEPTUL	1 490	920	470	0,644	64,0	76,0	1	0,644	64,0	76,0
MFS20CS	1 370	920	470	0,592	52,0	63,5	1	0,592	52,0	64,0
MFS20CL	1 370	920	470	0,592	53,0	65,0	1	0,592	53,0	65,0
MFS20CUL	1 490	920	470	0,644	54,5	66,5	1	0,644	54,5	67,0
MFS20CEFS	1 370	920	470	0,592	55,0	66,5	1	0,592	55,0	67,0
MFS20CEFL	1 370	920	470	0,592	56,5	68,0	1	0,592	56,5	68,0
MFS20CEFUL	1 490	920	470	0,644	58,0	69,5	1	0,644	58,0	70,0
MFS20CEPS	1 370	920	470	0,592	54,0	66,0	1	0,592	54,0	66,0
MFS20CEPL	1 370	920	470	0,592	55,5	67,5	1	0,592	55,5	68,0
MFS20CEPUL	1 370	920	470	0,592	57,0	69,0	1	0,592	57,0	69,0
MFS20CEPTS	1 370	920	470	0,592	61,0	73,0	1	0,592	61,0	73,0
MFS20CEPTL	1 370	920	470	0,592	62,5	74,5	1	0,592	62,5	75,0
MFS25BS	1 370	880	490	0,591	71,5	82,5	1	0,591	71,5	0,0
MFS25BL	1 460	880	490	0,630	73,0	84,5	1	0,630	73,0	0,0
MFS25BEFS	1 370	880	490	0,591	74,5	85,5	1	0,591	74,5	0,0
MFS25BEFL	1 460	880	490	0,630	76,0	87,5	1	0,630	76,0	0,0
MFS25BEPS	1 370	880	490	0,591	73,0	85,0	1	0,591	73,0	0,0
MFS25BEPL	1 460	880	490	0,630	74,5	87,0	1	0,630	74,5	0,0
MFS25BEFTS	1 595	885	600	0,847	82,5	100,0	1	0,847	82,5	0,0
MFS25BEFTL	1 595	885	600	0,847	84,0	102,0	1	0,847	84,0	0,0
MFS25BEPTS	1 595	885	600	0,847	81,0	103,0	1	0,847	81,0	0,0
MFS25BEPTL	1 595	885	600	0,847	82,5	105,0	1	0,847	82,5	0,0
MFS25BEFGS	1 595	885	600	0,847	81,0	98,5	1	0,847	81,0	0,0
MFS25BEFGL	1 595	885	600	0,847	82,5	100,5	1	0,847	82,5	0,0
MFS30BS	1 370	880	490	0,591	71,5	82,5	1	0,591	71,5	0,0
MFS30BL	1 460	880	490	0,630	73,0	84,5	1	0,630	73,0	0,0
MFS30BEFS	1 370	880	490	0,591	74,5	85,5	1	0,591	74,5	0,0
MFS30BEFL	1 460	880	490	0,630	76,0	87,5	1	0,630	76,0	0,0
MFS30BEPS	1 370	880	490	0,591	73,0	85,0	1	0,591	73,0	0,0
MFS30BEPL	1 460	880	490	0,630	74,5	87,0	1	0,630	74,5	0,0
MFS30BEFTS	1 595	885	600	0,847	82,5	100,0	1	0,847	82,5	0,0
MFS30BEFTL	1 595	885	600	0,847	84,0	102,0	1	0,847	84,0	0,0
MFS30BEPTS	1 595	885	600	0,847	81,0	103,0	1	0,847	81,0	0,0
MFS30BEPTL	1 595	885	600	0,847	82,5	105,0	1	0,847	82,5	0,0
MFS30BEFGS	1 595	885	600	0,847	81,0	98,5	1	0,847	81,0	0,0
MFS30BEFGL	1 595	885	600	0,847	82,5	100,5	1	0,847	82,5	0,0
MD30BEPTOL	1 495	860	560	0,720	94,5		1	0,720	94,5	0,0
<b>Total</b>							11	3,263	214,2	122,000

